

GymBeam Fitness Company GmbH

Kärtner Ring 1  
1010 Wien  
Austria



Our Sign : RRU  
Date : 10.08.2026

### **Certificate of analysis 26036437 - 019**

Sample name : Clear Whey IsoFue - GymBeam 500 g - watermelon

Marking of sample : 3GB4EF 14.05.2028

Customer No. : none

Packaging : Commercial package

Sample amount : 1 x 500 g

Shipping of sample : Courier Service

Sample entry : 22.07.2026

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 22.07.2026 / 10.08.2026

The test results apply only to the test items described in the report. No responsibility is accepted for the validity of the results if any data or information provided by the customer may affect them. Data provided by the customer are clearly identified. The laboratory assumes no responsibility for the sampling including minimum quantities unless it was carried out by samplers from a company within the GBA Group or on its behalf. In this case, the results apply to the sample as received. The test report may not be published or reproduced, in whole or in part, without the written consent of the issuing company. The general terms and conditions are available at <https://www.gba-group.com/en/general-terms-and-conditions/>.

1 / 3

Dok.-Nr.: ML 510-01 # 2 V1 E, 511, 19.02.2026

GBA Gesellschaft für Bioanalytik mbH  
Goldtschmidtstr. 5, 21073 Hamburg  
Telefon +49 (0)40 797172-0  
Fax +49 (0)40 797172-27  
E-Mail [gba-group@gba-group.com](mailto:gba-group@gba-group.com)  
[www.gba-group.com](http://www.gba-group.com)

Sitz der Gesellschaft:  
Hamburg  
Handelsregister:  
Hamburg HRB 42774  
USt-Id.Nr. DE 118 554 138  
St.-Nr. 47/723/00196

Geschäftsführer:  
Ralf Murzen,  
Ole Borchert,  
Alexander Kleinke,  
Dr. Dominik Obeloer



seit 1989

Certificate of analysis : 26036437 - 019

Sample name : Clear Whey IsoFue - GymBeam 500 g - watermelon

## Test Results

| Chemical/Physical Test                                       | Result | Unit    | Declaration | ± MU | MU[%] | MU Source |
|--------------------------------------------------------------|--------|---------|-------------|------|-------|-----------|
| Protein, F: 6.25                                             | 82,3   | g/100 g | 86          | 8,2  | 10    | I         |
| Amino acid spectrum, free and bound                          |        |         |             |      |       |           |
| Aspartic acid (sum asparagine + aspartic acid)               | 9,4    | g/100 g |             | 1,4  | 15    | IV        |
| Threonine                                                    | 6,0    | g/100 g |             | 0,9  | 15    | IV        |
| Serine                                                       | 4,1    | g/100 g |             | 0,61 | 15    | IV        |
| Glutamic acid (sum glutamine + glutamic acid)                | 16,5   | g/100 g |             | 2,5  | 15    | IV        |
| Proline                                                      | 5,6    | g/100 g |             | 0,84 | 15    | IV        |
| Glycine                                                      | 1,3    | g/100 g |             | 0,2  | 15    | IV        |
| Alanine                                                      | 5,1    | g/100 g |             | 0,77 | 15    | IV        |
| Valine                                                       | 5,1    | g/100 g |             | 0,77 | 15    | IV        |
| Methionine (cal. from methionine sulfone)                    | 2,1    | g/100 g |             | 0,32 | 15    | IV        |
| Isoleucine                                                   | 5,8    | g/100 g |             | 0,87 | 15    | IV        |
| Leucine                                                      | 10,0   | g/100 g |             | 1,5  | 15    | IV        |
| Tyrosine                                                     | 2,3    | g/100 g |             | 0,35 | 15    | IV        |
| Phenylalanine                                                | 2,5    | g/100 g |             | 0,38 | 15    | IV        |
| Ornithine                                                    | <0,020 | g/100 g |             |      | 15    | IV        |
| gamma-aminobutyric acid (GABA)                               | <0,020 | g/100 g |             |      | 15    | IV        |
| Lysine                                                       | 8,9    | g/100 g |             | 1,3  | 15    | IV        |
| Histidine                                                    | 1,2    | g/100 g |             | 0,18 | 15    | IV        |
| Arginine                                                     | 1,8    | g/100 g |             | 0,27 | 15    | IV        |
| Taurine                                                      | <0,020 | g/100 g |             |      | 15    | IV        |
| Hydroxyproline                                               | <0,020 | g/100 g |             |      | 20    | IV        |
| Cyst(e)ine (sum cysteine + cystin; calc. from cycsteic acid) | 2,0    | g/100 g |             | 0,3  | 15    | IV        |
| Hydroxylysine                                                | <0,020 | g/100 g |             |      | 20    | IV        |
| Sum amino acids                                              | 89,6   | g/100 g |             | 27   | 30    | I         |

Hamburg, 10.08.2026

*This test report is done automatically and is valid without signature.*

Certificate of analysis : 26036437 - 019

Sample name : Clear Whey IsoFue - GymBeam 500 g - watermelon

## Methods

| <i>Parameter</i>                    | <i>Method</i>                                               | <i>DR</i> |
|-------------------------------------|-------------------------------------------------------------|-----------|
| Protein, F: 6.25                    | § 64 LFGB L 17.00-15: 2013-08 <sup>a</sup> <sub>0</sub>     | z         |
| Amino acid spectrum, free and bound | FV-0333 02-001, LC-MS/MS: 2022-04 <sup>a</sup> <sub>1</sub> | z         |

The methods marked with <sup>a</sup> are accredited methods of the performing laboratory.

Testing laboratory: <sub>0</sub>GBA Hamburg <sub>1</sub>extern

MU-Source:

I: According to DIN ISO 11352 as expanded, combined measurement uncertainty with  $k = 2$  (95 %), sampling not included

IV: According to subcontractor

Decision rules:

z: In conformity assessment, measurement uncertainty is disregarded and serves as informational data only.